

STANDARD CHLORINE OF DELAWARE, INC.

GOVERNOR LEA ROAD ● P.O BOX 319 ● DELAWARE CITY, DELAWARE 19706

100395

January 19, 1990

JA: 19 1990

Ms. Diane Wehner Environmental Scientist DNREC 715 Grantham Lane New Castle, Delaware 19720

Dear Ms. Wehner:

In accordance with Paragraph 6 of the Consent Order between Standard Chlorine of Delaware, Inc. and the Delaware Department of Natural Resources and Environmental Control, we are hereby submitting the Eighth Quarterly Groundwater Monitoring Report.

Please feel free to contact me if you have any questions.

Sincerely

Robert J. Tøuhey, P.H./ Assistant Vice President Environmental Affairs

RJT/dab Enclosure

cc:

A. R. Sinibaldi

T. E. Pierson

B. V. Bowers

QUARTERLY MONITORING REPORT GROUNDWATER RECOVERY OPERATIONS

STANDARD CHLORINE OF DELAWARE, INC.
DELAWARE CITY, DELAWARE

Lyn R. Lawlor, P.G. Project Geologist

Thomas A. Drew, P.G. Project Manager

19 January 1990

Prepared By:

ROY F. WESTON, INC.
WESTON WAY
WEST-CHESTER, PENNSYLVANIA 19380



QUARTERLY MONITORING REPORT GROUNDWATER RECOVERY OPERATIONS

STANDARD CHLORINE OF DELAWARE, INC. DELAWARE CITY, DELAWARE

In response to the 22 January 1988 Consent Order between the Delaware Department of Natural Resources and Environmental Control (DNREC) and Standard Chlorine of Delaware, Inc., this quarterly report has been prepared to document monthly withdrawal rates and contaminant recovery at the pumping wells; and quarterly sampling results and water level data for the recovery and monitor wells. The report also contains an evaluation of the effectiveness of the recovery system and recommendations to improve the system. Documentation presented in this report covers the quarterly period from October to December 1989.

EVALUATION OF THE RECOVERY SYSTEM

The average monthly withdraw rates from recovery wells RW-1 through RW-4 are presented in Table 1. Average monthly withdraw rates from RW-1 through RW-4 ranged between 1.7 and 33 gpm.

A higher capacity pump was installed in RW-1 beginning on 29 September and accounted for 4 down days in October. Due to the installation of the higher capacity pump, puming rates at RW-1 have increased significantly over those recorded in the previous quarter. Recovery well RW-1 pumped almost continuously during November and December, except for a short period of down time in November due to scheduled maintenance. The flow meter on RW-1 became inoperable for several days in November, however, well discharge continued at an estimated rate of 33 gpm. A new flow meter was installed on RW-1 on 15 December.

Recovery well RW-2 pumped almost continuously during October and November, except for short periods of down time due to scheduled maintenance. RW-2 was not pumping for eight days during the month of December due to an electrical malfunction and scheduled maintenance. Pumping rates for RW-2 have decreased each month this quarter to an average of 1.7 gpm during the month of December.

Recovery well RW-3 pumped almost continuously during this quarter, except for short periods of down time in October and November due to scheduled maintenance. Pumping rates have averaged between 6.7 and 7.5 gpm for this quarter.

WESTERN.

Recovery well RW-4 pumped almost continuously during the month of October, except for a short period of down time for scheduled maintenance. An automatic water level control device was installed on 10 October. All recovery wells currently have a water level control device in operation. Recovery well RW-4 was shut down for installation of a higher capacity pump on 9 November. Equipment operational problems following the new pump installation resulted in several days of down time in November and December.

Groundwater level data collected at the recovery and monitoring wells on 28 December 1989 were used to construct a water level contour map presented in Figure 1. This map represents actual water levels observed while recovery wells RW-1, RW-2, and RW-3 were pumping. A complete summary of these water level data is presented in Table 2. Water level elevation at RW-1 decreased from a September 1989 elevation of approximately 9 feet above sea level to a December 1989 approximate elevation at mean sea level. This reduction in water level elevation at RW-1 corresponds with an increase of pumping rates from an average of 9.3 gpm in September to an average of 33 gpm in December.

A comparison of the water level measurements at monitor well TW-63 for the months of September and December 1989, show approximately 0.6 feet of additional drawdown in December. This drawdown is a result of the increased pumping rate at RW-1 this quarter.

Monthly concentrations of organics recovered at RW-1, RW-2, RW-3 and RW-4 are presented in Table 3. The average monthly concentrations of total benzene species at the recovery wells RW-1 and RW-4 ranged from 41.32 to 79.17 mg/L. Recovery well RW-2 showed average concentration of approximately 228 mg/L total benzene species for the quarter. Recovery well RW-3 showed an average concentration of approximately 121 mg/L total benzene species for the quarter. A summary of the total and individual benzene species from the 6 December 1989 sampling event are presented in Tables 4 and 5 respectively. An isoconcentration map of total benzene species is presented in Figure 2. This map reflects a decrease in the total benzene concentrations as compared to the last quarterly report, to a level below 300 mg/L total benzene species.

Summaries of monthly and cumulative groundwater withdrawals and contaminant recovery for each well and for the total recovery system for 1989 were prepared. The data for individual recovery wells are presented in Tables 6, 7, 8 and 9; the monthly and cumulative results for the entire system



are presented in Table 10. The data indicates that the total benzene species recovered has increased reflecting an overall system wide increase in pumping rates.

RECOMMENDATIONS

- 1. An assessment of the well yield and available drawdown at RW-4 should be performed following the reinstallation and start-up of the higher capacity pump. The results of the assessment will be used to determine the optimal pumping rate at this recovery well.
- 2. Recovery well RW-3 should be tested with a higher capacity pump to determine the optimal pumping rate and maximize drawdown.
- 3. If pumping rates at RW-2 continue to decrease or fail to maintain adequate levels during the next quarter, the well should be rehabilitated by means of mechanical surging and/or chemical treatment
- 4. The drilling contractor has been selected and all required permits have been procured to proceed with the installation of the new recovery well (RW-5) near TW-6A. This well installation is scheduled to begin the week of 22 January 1990.




FIGURE 1 WATER LEVEL CONTOUR MAP 28 DECEMBER 1989






FIGURE 2 ISOCONCENTRATION MAP OF TOTAL BENZENE SPECIES, 6 DECEMBER 1989



TABLE 1

AVERAGE MONTHLY WITHDRAWL RATES (GPM) GROUNDWATER RECOVERY WELL SYSTEM

STANDARD CHLORINE OF DELAWARE, INC.

MONTH (1989	<u> RW-1</u>	RW-2	<u>RW-3</u>	<u>RW-4</u>
October	14.9	2.8	6.7	9.7
	PD = 6 days	PD = 2 days	PD = 2 days	PD = 2 days
November	33*	2.9	7.3	9.9
	PD= 2 days	PD = 2 days	PD = 2 days	PD = 21 days
December	31.6	1.7 PD = 8 days	7.5	7.3 PD = 14 days

PD - pump down

^{* -} estimated; flow meter inoperable for a portion of the month.



TABLE 2

GROUNDWATER LEVEL DATA STANDARD CHLORINE OF DELAWARE, INC. 28 DECEMBER 1989

Location	Measuring Point Elevation (Ft. MSL)	Depth to Water (Ft.)	Groundwater Elevation (Ft. MSL)
TW-1	49.90	30.08	19.82
TW-2	56.10	39.92	16.18
TW-3	56.30	40.33	15.97
TW-4	55.00	40.42	14.58
TW-5	50.10	33.92	16.18
TW-6	50.70	35.08	15.62
TW-7	50.40	35.16	15.24
TW-8	52.20	*	*
TW-10	50 .50	37.92	12.58
TW-22	**	40.16	**
TW-24	49.44	38.92	10.52
TW-25	49.44	36.08	13.36
TW-28	52.82	42.50	10.32
TW-30	52.29	40.08	12.21
TW-31	50.36	36.92	13.44
TW-49	55.71	48.92	6.79
TW-50	53.28	47.16	6.12
TW-60	46.44	37.83	8.61
TW-61	45.50	37.92	7.58
TW-62	48.92	41.83	7.09
TW-63	53.83	47.25	6.58
TW-64	53.48	•	*
RW-1	54.75	54.66	0.09
RW-2	52.99	45.66	7.33
RW-3	45.55	40.50	5.05
RW-4	48.08	39.50	8.58

^{*} unable to take measurements, well temporarily inaccessible.

^{**} Additional riser pipe added to well, elevation undetermined.



TABLE 3

MONTHLY CONCENTRATIONS OF TOTAL BENZENE SPECIES (mg/L) GROUNDWATER RECOVERY WELLS

STANDARD CHLORINE OF DELAWARE, INC.

MONTH (1989)	<u>RW-1</u>	<u>RW-2</u>	RW-3	RW-4
October	41.32	242.02	114.55	44.18
November	58.69	213.65	120.87	46.54
December	79.17	228.54	127.79	49.30



TABLE 4

QUARTERLY SAMPLING RESULTS MONITOR AND RECOVERY WELLS

STANDARD CHLORINE OF DELAWARE, INC.

6 DECEMBER 1989

	Total Benzene
	Species Concentrations
<u>Location</u>	(mg/1)
TW-1	21.69
TW-2	0.53
TW-3	0.33
TW-4	0.80
TW-5	*
TW-6	230.40
TW-6A	78.01
TW-7	21.78
TW-8	189.95
TW-10	131.45
TW-22	3.81
TW-24	101.65
TW-25	80.19
TW-28	*
TW-30	
TW-31	250.77
TW-49	291.72
TW-50	275.44
RW-1	75.54
RW-2	235.91
RW-3	126.14
RW-4	49.30

* Free organics in well

MATER CRALITY DAYN INDIVIDUAL MENTENS SPECIES MONTOR AND MECOWER WELLS STRANDARD CHECKING OF DELANAME, INC., 6 DECEMBER 1969

Te T	盟	9880	QMC	E .	W.V.	ORCINO	135	124	123	9	1245	1234	MCMB	PENTA	Accel	CHELORO-
Į.	9.9	0.24	17.22	0.16	2.24	1.29	G	55.0	0.03	0.0	c	G	•	6	e	27 Ke
2	7.0	0.0	0.14	6.6	9.10	0		90.0	0.0	0.02	6.6		• •	5	• c	
	6.8	0.03	0.11	0.01	0.08	0.07	0	0.02	0		0.0	• 6	•		, c	2
Ţ	9	0.0	0.14	0.0	0.22	0.22	0	0.12	0.01	0.01	0.03		• •) C	.	
11.5		DEC MAN	WEECS.		,,,,	}	•))		•	•	•	•	}
Ý.		64.07	96.58	1,26	9.20	1 46.78	0	0.43	0.05	0.03	0	0	0	0	0	230.40
4		0.73	14.61	9.0	4.58	26.45	0	0.89	0.11	0	0.03	0	0	0.01	0	78.01
1-1		1.03	2.29	1.57	11.16	3.61	0	0.90	0.91	0	0.04	0,35	0	0.03	0	21.78
8-E		33.41	97.69	1.03	6.44	44.60	0	5.06	1.06	0.0	0.07	0.47	0	0.05	0	189,95
¥-10		37.46	30.05	4.27	69.63	8,38	0	98.0	0.49	90.0	90.0	0.12	•	0.01	• •	131.45
#-22		0.24	1,24	90.0	1.2	0.77	0	0.14	0,02	0.03	0.02	0.04	0.01	0	•	3.81
TH-24		0.58	1.76	0.76	12.69	65,36	0	0.45	0.0	0.01	0	0	0		•	101.65
TM-25	7.7	0.55	0.93	0.63	13.82	64.15	0	0.61	0.02	0	0.02	0,01	0	· c	0	80.39
TH-28		THESE CHOMOS	WICE						•	ı	!		,	•)	
2		THEIR CHOMICS	WICE													
14-31	1.7	99.33	75.95	2.05	33.75	25,69	0	12.07	0.65	0.05	0.45	0.81	0	0	0	250.77
F-19	6.0	103.55	113.95	3.11	36,35	30.05	0	3.57	0.27	0.07	0.47	0.32		0.03	· C	291.72
F-50	1.7	112.79	5. 53	4.35	32.46	31.50	0	1.62	0.48	2.46	0.07	0.03	0.15	6	c	775.44
玉	5.9	14.10	23.67	2.8	<u>ה</u>	11.94	0	0.11	1.65	0	0.01	0	0.01		0	75.54
ĩ	4.3	63.02	90,15	2.03	28.42	23,89	0	4.91	1.02	98.0	0.12	1.40	0.01	0.0		235.93
ĩ	4.2	19.79	25.16	7.30	3.8	37.25	0	3.27	2.05	1.20	0.03	8	0.47	90.0	•	126.14
Į	5.0	1.36	2.54	0.0	7,61	35.14	•	1.35	0.37	0.04	0.01	0.01	0.0	0.02	• •	49.30
Lecent																
į	í				;	1	:									
	- Benzene	- Bennene - Monochlorobensene			EZ 9	- 123 Trichlorobensene	hlorob	au seu de	•							
E	- Metach	Metachlorobensen			1245	- 1245 Te	trachlor	1245 Tetrachlorobenzene								
PARA	- Paradi	Paradichlorobensens	ş		1234	- 1234 Tei	trachlog	1234 Tetrachlorobensene								
CEURO		Carbon London Contraction	1			- Memorah Jonan day observed	Annual Land	1000								

- 135 Trichlorobensene - 124 Trichlorobensene ដូដ

PENTA - Pentachlorobensene REGA - Rexachlorobensene

- All concentrations in mg/L

AR307807

Table 6

Monthly and Cumulative Monitor Well Pumpage and Contaminant Recovery

Month	Average Monthly Pumping Rate (GPM)	Total Monthly Pumpage (gallons)	Total Cumulative Pumpage (gallons x1000)	Average Monthly Concentrations of Total Benzene Species (mg/l)	Total Benzene Species Recovered (kilograms)	Cumulative Total Benzene Species Recovered (kilograms)
1989	*					
January	J. 4	241,056	241	47.29	43.1	43.1
February	6.4	197,568	439	35,09	26.2	1 m
March	9.7	205,344	644	57.9	45.0	2.70
Apr 11	4.7	209,808	854	46.1	Y . Y	7 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
May	6. 6.	99,792	954	43.0	16.0	- FOR
June	8.0	334,080	1,288	47.77	60.4	
July	8.6	359,136	1,647	48.49	6 10	をしている。
August	11.4	443,232	2,139	52.05	87.3	7.000
September	9.8	141,120	2,280	61.17	32.7	413.4
October	14.9	665,136	2,945	41.32	104.1	5,718
November	33.0*	1,425,600	4,371	58.69	316.9	7 7 7 6
December	31.6	1,410,624	5,782	79.17	423.0	1.257.4

* estimated, flow meter inoperable for a portion of the month.

Table 7

Monthly and Cumulative Monitor Well Fumpage and Contaminant Recovery

		Total	1	Average Monthly	# *	Cumulative
Honth	Average Monthly; Pumping Rate (GPH)	Monthly Fumpage (callons)	Total Cumulative Pumpage (dallone x1000)	Concentrations of Total Benzene Boedles (mg/1)	Total Benzene Species Recovered (Kilosrams)	Total Mensene Species Recovered (kilocrame)
1989						
January	- 1	1	\$ 3 1	**	2 1	
Pebruary		1	1 1 1			# ! !
March	1 1	1		4 1 1	1 1 1	ţ
Apr 11	2.5	72,000	75	230.0	62.7	62.7
Hay	2.5	36,000	108	230.0	31.3	C. 76
June	7.7	183,744	292	230.0	160.0	254.0
July	4.8	200,448	492	243.19	184.5	A (1)
August	e. e.	159,408	651	252.64	152.4	9,000
September	₩*60	137,088	788	255.41	132.5	723.4
October	2.8	124,992	913	242.02	114.6	0.88
November	2.9	125,280	1,038	213.65	101.4	7.000
December	1.7	75,888	1,114	228.54	65.7	1,005.1
dend	Pump inoperable					

Table 8

Monthly and Cumulative Monitor Well Pumpage and Contaminant Recovery

Month	Average Monthly Pumping Rate (GPM)	Total Monthly Pumpage (gallons)	Total Cumulative Pumpage (gallong x1000)	Average Monthly Concentrations of Total Benzene Species (mg/l)	Total Benzene Species Recovered (kilograms)	Cumulative Total Benzene Species Recovered
1989	٠			-		
January Pebruary March April Hay June July August September October November	1.7 7.3 1.3 1.5 1.5	184,032 304,848 334,368 282,240 299,088 315,360	1,105 1,719 2,054	77* 77* 77* 149.58 114.55	1259.8 1259.8 1259.8 1621.1	20 20 20 20 20 20 20 20 20 20 20 20 20 2

⁻⁻⁻ Pump inoperable

^{*} Estimated concentration, sample was not collected.

Table 9

ŗ

Monthly and Cumulative Monitor Well Pumpage and Contaminant Recovery

Honth	Average Monthly: Pumping Rate (GPM)	Total Monthly Fumpage (gallons)	Total Cumulative Pumpage (gallons x1000)	Average Monthly Concentrations of Total Benzene Spacies (mg/l)	Total Benzene Species Recovered (kilograms)	Cumulative Total Benzene Species Recovered (kilograms)
1989	•					
January	6.3	281,232	261	44.02	46.9	46.9
February	7.1	286,272	567	35.09	38.0	64.9
March	10 10 10	245,520	013	61.28	56.9	141.8
Apr 11	20.00	224,640	1,037	83.8	71.3	213.1
X X	4.0	149,760	1,187	52.14	30.0	243.1
June	4.3	173,376	1,360	51.1	33,5	276.6
July	7.0	292,320	1,652	40.77	45.1	321.7
Auquet	7.00	416,016	2,068	41.61	65.5	387.2
September	6.0	374,976	2,443	55.14	110.6	497.8
October	7.6	433,008	2,876	44.18	72.5	570.3
November	9. 00	427,680	3,304	46.54	75.4	645.7
December	7.3	315,360	3,619	49.30	58.9	704.6

^{*} estimated concentration, sample not collected

Table 10

Ţ

Monthly and Cumulative Monitor Well Pumpage and Contaminant Recovery

Recovery Well RW-1, 2, 3 and 4

Month	Total Monthly Pumpage (dallong X1000)	Total Cumulative Pumpage (gallona X1000)	Total Benzene Species Recovered (kilograms)	Cumulative Total Benzene Species Recovered (kilograms)
1989				
January	522	522	0.06	0.08
February	483	1,005	64.2	154.0
March	450	1,455	101.9	7.50
Apr 11	505	1,960	170.6	4.06.1 4.06.1
May	284	2,244	46.2	0 648
June	874	3,118	0 6	0 YYY
July	1,156	•		0.000
August	1,353	5,627	402.6	1.100 E
September	93.5	•	435 6	7.000.1
October	1,522	•	ייייייייייייייייייייייייייייייייייייי	1,789.3
November		, ,	0.124	2, ZIU. 3
	7047		638.1	2,848.4
	2,136	12,513	709.7	3,558,1